

Certificate of Analysis
Compliance Test

Client Information:

CAKE
1912 N Batavia Street
Unit H
Orange, CA 92865Batch # CRP-7.0.1:SS-P
Batch Date: 2024-11-13
Extracted From: Hemp

Test Reg State: Florida

Order # CAK241114-200001
Order Date: 2024-11-14
Sample # AAGD352Sampling Date: 2024-11-15
Lab Batch Date: 2024-11-15
Completion Date: 2024-11-25

Initial Gross Weight: 28.352 g



Product Image

Potency
TestedHeavy Metals
Passed2-Butanedione
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
PassedPathogenic Microbiology
PassedMicrobiology (qPCR)
PassedVitamin E
Passed

Potency 25 (LCUV)

Specimen Weight: 500.930 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	10.000	2.60E-5	0.015	846.9400	84.6940
Delta-8 THCV	10.000	4.00E-5	0.015	7.2440	0.7244
CBN	10.000	1.40E-5	0.015	6.5600	0.6560
CBL	10.000	3.50E-5	0.015	1.8170	0.1817
CBT	10.000	2.00E-4	0.015	1.6540	0.1654
CBD	10.000	5.40E-5	0.015	0.5600	0.0560
Delta8-THCP *	10.000	3.75E-4	0.015	0.1679	0.0168
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBNA	10.000	9.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	10.000			0.560	0.056
Total Active THC	10.000			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 0.056%
Total CBG None Detected	Total CBN 0.656%
Total Cannabinoids 86.494%	Total DELTA-8-THC 84.694%

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

CAKE
1912 N Batavia Street
Unit H
Orange, CA 92865

Batch # CRP-7.0.1:SS-P
Batch Date: 2024-11-13
Extracted From: Hemp

Test Reg State: Florida

Order # CAK241114-200001
Order Date: 2024-11-14
Sample # AAGD352

Sampling Date: 2024-11-15
Lab Batch Date: 2024-11-15
Completion Date: 2024-11-25

Initial Gross Weight: 28.352 g



2,3-butanedione(Diacetyl)

Specimen Weight: 15.100 mg

Passed
SOP13.039 (GCMS)



Total Yeast and Mold

Specimen Weight: 484.100 mg

Passed
SOP13.017
(qPCR)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2024-11-16 08:31:15	Analyzed By: 1161	Date: 2024-11-16 08:31:15
Reviewed By: 1161	Date: 2024-11-16 15:51:55	Lab Batch #: AAGD352-434	Date: 2024-11-16 15:51:55



Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1008.300 mg

Passed
SOP13.019 (Micro
Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

CAKE
1912 N Batavia Street
Unit H
Orange, CA 92865Batch # CRP-7.0.1:SS-P
Batch Date: 2024-11-13
Extracted From: Hemp

Test Reg State: Florida

Order # CAK241114-200001
Order Date: 2024-11-14
Sample # AAGD352Sampling Date: 2024-11-15
Lab Batch Date: 2024-11-15
Completion Date: 2024-11-25

Initial Gross Weight: 28.352 g

E Vitamin E (Tocopheryl Acetate)
Specimen Weight: 585.930 mg**Passed**
SOP13.007 (LC-MS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	500	500	<LOQ

H Heavy Metals
Specimen Weight: 250.410 mg**Passed**
SOP13.048 (ICP-MS)

Dilution Factor: 199

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ

****** Mycotoxins
Specimen Weight: 585.930 mg**Passed**
SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

CAKE
1912 N Batavia Street
Unit H
Orange, CA 92865

Batch # CRP-7.0:1:SS-P
Batch Date: 2024-11-13
Extracted From: Hemp

Test Reg State: Florida

Order # CAK241114-200001
Order Date: 2024-11-14
Sample # AAGD352

Sampling Date: 2024-11-15
Lab Batch Date: 2024-11-15
Completion Date: 2024-11-25

Initial Gross Weight: 28.352 g



Residual Solvents - FL (CBD)

Specimen Weight: 15.100 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixa Sun

Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis
Compliance Test

Client Information:

CAKE

1912 N Batavia Street

Unit H

Orange, CA 92865

Order # CAK241114-200001

Order Date: 2024-11-14

Sample # AAGD352

Batch # CRP-7.0:1:SS-P

Batch Date: 2024-11-13

Extracted From: Hemp

Test Reg State: Florida

Sampling Date: 2024-11-15

Lab Batch Date: 2024-11-15

Completion Date: 2024-11-25

Initial Gross Weight: 28.352 g



Pesticides

Specimen Weight: 585.930 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	49.234	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

