

Status

Tested

Yes

Internal Standard Normalization

Result

(mg/g)

ND

15.0

ND

145

ND

2.16

595

ND

1.53

185 ND

ND

ND

ND

35.5

8.55

164

844

1 of 2

## 1g Mini Mart Blend Disposables Blue Lambo Latto Client Sample ID: SA-240910-48294 WherezHemp Batch: 080124-HHC-MIN-D-1.0G-BLU Received: 09/11/2024 Type: Finished Product - Inhalable 1123 S Federal Highway #704 Completed: 09/16/2024 Matrix: Other - Other Fort Lauderdale, FL 33316 Unit Mass (g): USA Summary Test Date Tested 09/16/2024 Cannabinoids 0.153 % 84.4% Not Tested Not Tested **59.5**% Δ9-THC **∆8-THC Total Cannabinoids Moisture Content** Foreign Matter Cannabinoids by HPLC-PDA and GC-MS/MS LOD LOO Result Analyte (%) (%) (%) CBC ND 0.0095 0.0284 CBCA 0.0181 0.0543 ND CBCV 0.006 0.018 ND CBD 0.0242 ND 0.008 CBDA 0.0043 0.013 ND CBDV 0.0061 0.0182 ND CBDVA 0.0063 ND CBG 0.0057 0.0172 ND CBGA 0.0049 0.0147 ND CBL 0.0112 0.0335 ND CBLA 0.0124 0.0371 ND CBN 0.0056 0.0169 1.50 CBNA 0.006 0.0181 ND CBT 0.018 0.054 0.145 ∆4,8-iso-THC 0.0067 ND ∆8-iso-THC 0.0067 0.02 0.216 ∆8-THC 0.0104 0.0312 59.5 ∆8-THCV 0.0067 0.02 ND ∆9-THC 0.0076 0.0227 0.153 Δ9-THCA 0.0084 0.0251 18.5 A9-THCV 0.0069 0 0206 ND ∆9-THCVA 0.0186 0.0062 ND (6aR,9R,10aR)-HHC 0.0067 0.02 ND (6aR,9S,10aR)-HHC 0.0067 0.02 ND 9R-HHCP 0.0067 0.02 3.55 9S-HHCP 0.0067 0.855 Total ∆9-THC 16.4 Total 84.4

ND = Not Detected: NT = Npt Tgsted; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA DA \* 0.877 + CBD; **Iac-MR**/ with Tested By: Scott Caudill Generated By: Ryan Bellone CCO ISO/IEC 17025:2017 Accredited Laboratory Manager Accreditation #108651 Date: 09/16/2024 Date: 09/16/2024

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.




KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 2

## 1g Mini Mart Blend Disposables Blue Lambo Latto



Generated By: Ryan Bellone CCO Date: 09/16/2024



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.