

## Ps Cart THC-H

Sample ID: 2503AFL0430.1941

Internal Lab ID: ATL-27715

Client

Strain: Water Slide

Honest PP&D #2

Matrix: Concentrates & Extracts

Received: 03/12/2025

Lic. #

Type: Distillate

Completed: 03/20/2025

1038 Arlington St

Unit Weight: 1 g

Batch#: PSCWS240617

Orlando, FL 32805



### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/12/2025	Complete
Residual Solvents	03/12/2025	Pass
Microbials	03/14/2025	Pass
Pesticides	03/13/2025	Pass
Heavy Metals	03/20/2025	Pass
Foreign Matter	03/14/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Basic Potency

Complete


<b>ND</b> Total THC	<b>ND</b> Total CBD	<b>94.35%</b> Total Cannabinoids
------------------------	------------------------	-------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	9S-HHC	0.01	ND	ND
CBDV	0.01	ND	ND	9R-HHC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ9-THCH	0.01	94.35	943.5
CBGa	0.01	ND	ND	Δ8-THCH	0.01	ND	ND
CBG	0.01	ND	ND	Δ9-THCP	0.01	ND	ND
CBD	0.01	ND	ND	Δ8-THCP	0.01	ND	ND
THCV	0.01	ND	ND	Δ8-THCO	0.01	ND	ND
Δ8-THCV	0.00	ND	ND	Δ9-THCO	0.01	ND	ND
THCVa	0.01	ND	ND	9(S)-HHCP	0.01	ND	ND
CBN	0.01	ND	ND	9(R)-HHCP	0.01	ND	ND
Δ9-THC	0.01	ND	ND	11-Hydroxy-THC	0.01	ND	ND
Δ8-THC	0.01	ND	ND	1(S)-H4-CBD	0.01	ND	ND
(6aR,9S)-d10-THC	0.01	ND	ND	1(R)-H4-CBD	0.03	ND	ND
(6aR,9R)-d10-THC	0.00	ND	ND	Δ9-THCB	0.00	ND	ND
CBC	0.01	ND	ND	Δ8-THCB	0.01	ND	ND
CBCa	0.01	ND	ND	CBDp	0.01	ND	ND
THCa	0.01	ND	ND	<b>Total</b>		<b>94.35</b>	<b>943.5</b>

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 03/12/2025

<b>NT</b> Not Tested Moisture Content	<b>NT</b> Not Tested Water Activity	<b>Pass</b> Foreign Matter
---------------------------------------------	-------------------------------------------	-------------------------------



  
Paulo Gonzalez  
Laboratory Director  
03/20/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

QA Testing

2 of 5

## Ps Cart THC-H

Sample ID: 2503AFL0430.1941

Internal Lab ID: ATL-27715

Client

Strain: Water Slide

Honest PP&D #2

Matrix: Concentrates & Extracts

Received: 03/12/2025

Lic. #

Type: Distillate

Completed: 03/20/2025

1038 Arlington St

Unit Weight: 1 g

Batch#: PSCWS240617

Orlando, FL 32805

## Pesticides


Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Acephate	100.0	ND	Pass	Hexythiazox	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	100.0	ND	Pass	Imidacloprid	400.0	ND	Pass
Aldicarb	100.0	ND	Pass	Kresoxim Methyl	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Malathion	200.0	ND	Pass
Bifenazate	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Bifenthrin	100.0	ND	Pass	Methiocarb	100.0	ND	Pass
Boscalid	100.0	ND	Pass	Methomyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Myclobutanil	1.000	ND	Pass
Carbofuran	100.0	ND	Pass	Naled	250.00	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	1000	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Permethrin	100.0	ND	Pass
Clofentezine	200.0	ND	Pass	Phosmet	100.0	ND	Pass
Coumaphos	100.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	500.0	ND	Pass	Prallethrin	100.0	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Daminozide	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Pyrethrins	500.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethoate	100.0	ND	Pass	Spinetoram	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spinosad	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Spiromesifen	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Spirotetramat	100.0	ND	Pass
Etoxazole	100.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Fipronil	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Flonicamid	100.0	ND	Pass				

Date Tested: 03/13/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



  
Paulo Gonzalez  
Laboratory Director  
03/20/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Ps Cart THC-H

Sample ID: 2503AFL0430.1941

Internal Lab ID: ATL-27715

Client

Strain: Water Slide

Honest PP&D #2

Matrix: Concentrates & Extracts

Received: 03/12/2025

Lic. #

Type: Distillate

Completed: 03/20/2025

1038 Arlington St

Unit Weight: 1 g

Batch#: PSCWS240617

Orlando, FL 32805

### Microbials

Pass

Analyte	LOD CFU/g	Limit CFU/g	Result CFU/g	Status
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			ND	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/14/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

### Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 03/14/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

### Heavy Metals

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Arsenic	0.1	0.2	ND	Pass
Cadmium	0.1	0.2	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	0.2	ND	Pass

Date Tested: 03/20/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez  
Laboratory Director  
03/20/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

4 of 5

## Ps Cart THC-H

Sample ID: 2503AFL0430.1941

Internal Lab ID: ATL-27715

Client

Strain: Water Slide

Honest PP&D #2

Matrix: Concentrates & Extracts

Received: 03/12/2025

Lic. #

Type: Distillate

Completed: 03/20/2025

1038 Arlington St

Unit Weight: 1 g

Batch#: PSCWS240617

Orlando, FL 32805

## Residual Solvents

Pass


Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2,2-Dimethyl-Butane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
2-Methyl-Pentane			ND	Tested
3-Methyl-Pentane			ND	Tested
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes		5000	ND	Pass
Chloroform	0.2	2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol			ND	Tested
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Hexanes		250	ND	Pass
Isobutane			ND	Tested

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/12/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



  
Paulo Gonzalez  
Laboratory Director  
03/20/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)





Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>  
Lic#

QA Testing

5 of 5

## Ps Cart THC-H

Sample ID: 2503AFL0430.1941

Internal Lab ID: ATL-27715

Client

Strain: Water Slide

Honest PP&D #2

Matrix: Concentrates & Extracts

Received: 03/12/2025

Lic. #

Type: Distillate

Completed: 03/20/2025

1038 Arlington St

Unit Weight: 1 g

Batch#: PSCWS240617

Orlando, FL 32805

## Residual Solvents

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Isopentane			ND	Tested
Isopropanol	40	500	ND	Pass
Isopropyl-Acetate			ND	Tested
m+p Xylene			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71	5000	ND	Pass
Hexane	5	250	ND	Pass
Pentane	59	750	ND	Pass
Neopentane			ND	Tested
o-Xylene			ND	Tested
Pentanes		750	ND	Pass
Propane	165	5000	ND	Pass
Tetrahydrofuran			ND	Tested
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE  
TEST LAB

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/12/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez  
Laboratory Director  
03/20/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

