

PharmLabs San Diego Certificate of Analysis

Sample CC20919-1



|                   |                            |          |              |              |       |
|-------------------|----------------------------|----------|--------------|--------------|-------|
| Sample ID         | SD241231-001 (104450)      |          |              | Matrix       | Other |
| Tested for        | Prophet Premium Blends     |          |              |              |       |
| Sampled           | -                          | Received | Dec 30, 2024 |              |       |
| Analyses executed | RES, MIBNIG, MTO, PES, HME |          | Reported     | Jan 06, 2025 |       |

HME - Heavy Metals Analysis

Analized Jun 25, 2001 | Instrument ICP/MSMS | Method SOP-005

| Analyte      | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009   | 0.0027   | ND          | 1.5        |
| Cadmium (Cd) | 0.0005   | 0.0015   | 0.02        | 0.5        |
| Mercury (Hg) | 0.0058   | 0.0174   | ND          | 3          |
| Lead (Pb)    | 0.0006   | 0.0018   | ND          | 0.5        |

MIBNIG - Microbial Analysis

Analized Dec 31, 2024 | Instrument Plating | Method SOP-007

| Analyte                                | LOD | LOQ | Result CFU/g | Limit         | Analyte         | LOD | LOQ | Result CFU/g | Limit         |
|----------------------------------------|-----|-----|--------------|---------------|-----------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli |     |     | ND           | ND per 1 gram | Salmonella spp. |     |     | ND           | ND per 1 gram |

MTO - Mycotoxin Analysis

Analized Jan 02, 2025 | Instrument LC/MSMS | Method SOP-004

| Analyte      | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg | Analyte          | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg |
|--------------|-----------|-----------|--------------------|-------------|------------------|-----------|-----------|--------------------|-------------|
| Ochratoxin A | 5.0       | 20.0      | ND                 | 20          | Aflatoxin B1     | 2.5       | 5.0       | ND                 | -           |
| Aflatoxin B2 | 2.5       | 5.0       | ND                 | -           | Aflatoxin G1     | 2.5       | 5.0       | ND                 | -           |
| Aflatoxin G2 | 2.5       | 5.0       | ND                 | -           | Total Aflatoxins | 10.0      | 20.0      | ND                 | 20          |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Mon, 06 Jan 2025 15:10:44 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Jan 02, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte               | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte             | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-----------------------|----------|----------|-------------|------------|---------------------|----------|----------|-------------|------------|
| Aldicarb              | 0.01     | 0.02     | ND          | 0          | Carbofuran          | 0.01     | 0.02     | ND          | 0          |
| Dimethoate            | 0.01     | 0.02     | ND          | 0          | Etofenprox          | 0.02     | 0.1      | ND          | 0          |
| Fenoxycarb            | 0.01     | 0.02     | ND          | 0          | Thiachloprid        | 0.01     | 0.02     | ND          | 0          |
| Daminozide            | 0.01     | 0.03     | ND          | 0          | Dichlorvos          | 0.02     | 0.07     | ND          | 0          |
| Imazalil              | 0.02     | 0.07     | ND          | 0          | Methiocarb          | 0.01     | 0.02     | ND          | 0          |
| Spiroxamine           | 0.01     | 0.02     | ND          | 0          | Coumaphos           | 0.01     | 0.02     | ND          | 0          |
| Paclobutrazol         | 0.01     | 0.03     | ND          | 0          | Chlorpyrifos        | 0.01     | 0.04     | ND          | 0          |
| Ethoprophos (Prophos) | 0.01     | 0.02     | ND          | 0          | Baygon (Propoxur)   | 0.01     | 0.02     | ND          | 0          |
| Mevinphos             | 0.03     | 0.08     | ND          | 0          | Abamectin           | 0.03     | 0.08     | ND          | 0.3        |
| Acephate              | 0.02     | 0.05     | ND          | 5          | Acetamiprid         | 0.01     | 0.05     | ND          | 5          |
| Azoxystrobin          | 0.01     | 0.02     | ND          | 40         | Bifenazate          | 0.01     | 0.05     | ND          | 5          |
| Bifenthrin            | 0.02     | 0.35     | ND          | 0.5        | Boscalid            | 0.01     | 0.03     | ND          | 10         |
| Carbaryl              | 0.01     | 0.02     | ND          | 0.5        | Chlorantraniliprole | 0.01     | 0.04     | ND          | 40         |
| Clofentezine          | 0.01     | 0.03     | ND          | 0.5        | Diazinon            | 0.01     | 0.02     | ND          | 0.2        |
| Dimethomorph          | 0.02     | 0.06     | ND          | 20         | Etoxazole           | 0.01     | 0.05     | ND          | 1.5        |
| Fenpyroximate         | 0.02     | 0.1      | ND          | 2          | Flonicamid          | 0.01     | 0.02     | ND          | 2          |
| Fludioxonil           | 0.01     | 0.05     | ND          | 30         | Hexythiazox         | 0.01     | 0.03     | ND          | 2          |
| Imidacloprid          | 0.01     | 0.05     | ND          | 3          | Kresoxim-methyl     | 0.01     | 0.03     | ND          | 1          |
| Malathion             | 0.01     | 0.05     | ND          | 5          | Metalaxyl           | 0.01     | 0.02     | ND          | 15         |
| Methomyl              | 0.02     | 0.05     | ND          | 0.1        | Myclobutanil        | 0.02     | 0.07     | ND          | 9          |
| Naled                 | 0.01     | 0.02     | ND          | 0.5        | Oxamyl              | 0.01     | 0.02     | ND          | 0.2        |
| Permethrin            | 0.01     | 0.02     | ND          | 20         | Phosmet             | 0.01     | 0.02     | ND          | 0.2        |
| Piperonyl Butoxide    | 0.02     | 0.06     | ND          | 8          | Propiconazole       | 0.03     | 0.08     | ND          | 20         |
| Prallethrin           | 0.02     | 0.05     | ND          | 0.4        | Pyrethrin           | 0.05     | 0.41     | ND          | 1          |
| Pyridaben             | 0.02     | 0.07     | ND          | 3          | Spinosad A          | 0.01     | 0.05     | ND          | 3          |
| Spinosad D            | 0.01     | 0.05     | ND          | 3          | Spiromesifen        | 0.02     | 0.06     | ND          | 12         |
| Spiratetramat         | 0.01     | 0.02     | ND          | 13         | Tebuconazole        | 0.01     | 0.02     | ND          | 2          |
| Thiamethoxam          | 0.01     | 0.02     | ND          | 4.5        | Trifloxystrobin     | 0.01     | 0.02     | ND          | 30         |
| Acequinocyl           | 0.02     | 0.09     | ND          | 4          | Captan              | 0.01     | 0.02     | ND          | 5          |
| Fenhexamid            | 0.02     | 0.07     | ND          | 10         | Spinetoram J,L      | 0.02     | 0.07     | ND          | 3          |

RES - Residual Solvents Analysis

Analyzed Jan 03, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte                    | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte                      | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop)             | 0.08     | 0.4      | ND          | 5000       | Butane (But)                 | 0.08     | 0.4      | ND          | 5000       |
| Methanol (Metha)           | 0.08     | 0.4      | ND          | 3000       | Ethylene Oxide (EthOx)       | 0.08     | 0.4      | ND          | 1          |
| Pentane (Pen)              | 0.08     | 0.4      | ND          | 5000       | Ethanol (Ethan)              | 0.08     | 0.4      | <LOQ        | 5000       |
| Ethyl Ether (EthEt)        | 0.08     | 0.4      | ND          | 5000       | Acetone (Acet)               | 0.08     | 0.4      | ND          | 5000       |
| Isopropanol (2-Pro)        | 0.08     | 0.4      | ND          | 5000       | Acetonitrile (Acetonit)      | 0.08     | 0.4      | ND          | 410        |
| Methylene Chloride (MetCh) | 0.08     | 0.4      | ND          | 1          | Hexane (Hex)                 | 0.08     | 0.4      | ND          | 290        |
| Ethyl Acetate (EthAc)      | 0.08     | 0.4      | ND          | 5000       | Chloroform (Clo)             | 0.08     | 0.4      | ND          | 1          |
| Benzene (Ben)              | 0.08     | 0.4      | ND          | 1          | 1-2-Dichloroethane (12-Dich) | 0.08     | 0.4      | ND          | 1          |
| Heptane (Hep)              | 0.08     | 0.4      | ND          | 5000       | Trichloroethylene (TriClEth) | 0.08     | 0.4      | ND          | 1          |
| Toluene (Toluene)          | 0.08     | 0.4      | ND          | 890        | Xylenes (Xyl)                | 0.08     | 0.4      | ND          | 2170       |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Mon, 06 Jan 2025 15:10:44 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.